



July 21, 2008

Mr. Mohammad Zaidi
RWQCB, Los Angeles Region
320 West Fourth Street, Suite 200
Los Angeles, CA 90013

RE: Second Quarter 2008 Groundwater Monitoring Report
Former Mission Linen Supply Facility
11904-11920 East Washington Boulevard, Santa Fe Springs, California
SLIC Case No. 713

Dear Mr. Zaidi:

On behalf of Mission Linen Supply, CGC Environmental, Inc. is submitting this second quarter 2008 Groundwater Monitoring Report for the above-referenced facility.

If you have any questions or need additional information, please contact me at (562) 592-0134 or Donald Moore at (415) 566-0300.

Sincerely,

CGC Environmental, Inc.

A handwritten signature in black ink that reads "Norman D. Colby".

Norman D. Colby, PG, CHg
Principal Hydrogeologist

Enclosure/hard copy with CD

cc: Mr. Don Bock, Mission Linen Supply (with enclosure/CD & electronic transmittal)
 Mr. Donald Moore, Environmental Risk Solutions, Inc. (with enclosure/electronic transmittal)
 Mr. Matt Sutton, The Source Group, Inc. (with enclosure/electronic transmittal)

Groundwater Monitoring Report

Second Quarter 2008

*Former Mission Linen Supply Facility
11904-11920 East Washington Boulevard
Santa Fe Springs, California 90606*



Prepared For:

Mission Linen Supply
702 East Montecito Street
Santa Barbara, California 93103

Prepared By:

CGC Environmental, Inc.
16596 Tiburon Place
Huntington Beach, California 92649

Reviewed By:

Environmental Risk Solutions, Inc.
1279 18th Avenue, Suite 200
San Francisco, CA 94122

July 21, 2008



Table of Contents

1	Introduction	1
2	Background.....	2
3	Site and Regional Hydrogeology	3
	3.1 Site Hydrogeology	3
	3.2 Regional Hydrogeology.....	3
4	Groundwater Monitoring and Sampling.....	5
	4.1 Depth to Water Measurements.....	5
	4.2 Groundwater Sampling	5
	4.3 Laboratory Analysis.....	6
5	Results of Water-Level Measurements.....	7
6	Results of Chemical Analyses.....	8
	6.1 Chlorinated Volatile Organic Compounds.....	8
	6.1.1 Tetrachloroethene.....	8
	6.1.2 Trichloroethene	8
	6.1.3 Cis-1,2-Dichloroethene	8
	6.1.4 1,1- Dichloroethene.....	9
	6.1.5 Chloroform.....	9
	6.2 Data Quality Assessment.....	9
	6.3 GeoTracker Database	9
7	Discussion of Quarterly Results	10
	7.1 Groundwater Elevation and Flow Direction.....	10
	7.2 Groundwater Quality and Remedial Analysis	10
8	Other Activities Completed This Quarter	12
9	Limitations and Professional Certification	13

List of Figures

No. **Title**

- 1 Site Location Map
- 2 Site Plan
- 3 Groundwater Elevation Contour Map
- 4 Groundwater Analytical Results

List of Tables

No. **Title**

- 1 Monitoring Well Construction Details
- 2 Groundwater Elevations
- 3 Groundwater Analytical Results
- 4 Summary of Duplicate Sample QA/QC Data

Appendices

No. **Title**

- A Groundwater Monitoring Field Sampling Forms
- B Laboratory Data and Chain of Custody Records
- C Historical Groundwater Elevations
- D Historical Groundwater Analytical Results
- E Time Series Chemical Data

1 Introduction

This report presents the results of quarterly groundwater monitoring activities for the second quarter 2008 conducted by CGC Environmental, Inc. (CGC) at the former Mission Linen Supply (Mission) facility located at 11904-11920 East Washington Street, Santa Fe Springs, California (the site; Figure 1). Quarterly monitoring is being performed pursuant to a Los Angeles Regional Water Quality Control Board (RWQCB) directive dated November 2, 2000 and is a component of ongoing assessment and restoration activities at the site designed to assess and remediate subsurface chlorinated volatile organic compound (VOC) contamination.

This quarterly groundwater monitoring report summarizes the second quarter groundwater gauging and sampling activities conducted on May 12, 2008.

2 Background

The site is located in an industrial/commercial area of Santa Fe Springs. In 1973, Mission purchased the site from the former owners who operated the Whittier Laundry Company. Mission conducted dry cleaning and industrial laundry operations there until 1982. In 1982 Mission acquired the adjacent property (11904-11906 East Washington Boulevard). All laundry and dry cleaning operations took place at the 11920 East Washington Boulevard address. In 1993, Mission had all buildings removed. The properties are currently vacant.

Mission removed five underground storage tanks (USTs) from the site in 1987. These tanks stored gasoline, diesel fuel and waste oil. Some hydrocarbon-impacted soil was identified during the tank removal project. Contaminated soil was excavated from the tank areas. In May 1994, the former UST locations were issued environmental closure by the County of Los Angeles Department of Public Works.

In 1996, Mission contracted National Environmental Consultants, Inc. (NEC) to complete an onsite soil gas survey. The soil gas assessment was performed to determine if VOCs were present in subsurface soils underlying the site. Tetrachloroethene (PCE) was detected by the soil gas survey. Follow-up soil and groundwater sampling by NEC and Dames and Moore identified PCE and other VOCs in soil and groundwater underlying the site. Rincon Consultants completed a soil gas survey at the site and adjacent properties to the south in December 2000. On July 26, 2001, a soil vapor extraction test was performed at the site. The findings of the assessment and pilot test were summarized in a report titled "Pilot Test Interpretation Report" prepared by Rincon Consultants and submitted to the RWQCB on September 7, 2001.

The Source Group, Inc. (SGI) installed six dual-nested vapor extraction (SVE) wells during the first quarter of 2005 for a soil vapor extraction and treatment system along with two groundwater monitoring wells for use in aquifer testing and enhanced in-situ bioremediation (EISB) pilot testing. SGI successfully completed aquifer testing in August 2005 and operated the SVE system from August 2005 to September 2007. SGI conducted an EISB injection event in the source area near wells MW-2 and MW-3 in December 2006. Results of these remediation activities are discussed in Section 7.2. A total of seven wells are currently monitored quarterly. Three piezometers previously installed at the site have been abandoned.

3 Site and Regional Hydrogeology

A brief summary of site hydrogeology and regional hydrogeology is presented below.

3.1 Site Hydrogeology

The site is located within the coastal plain of Los Angeles County. The site is located about 1.5 miles east of the San Gabriel River and about 2 miles southwest of the Puente Hills. Topography across the site is generally flat.

Sediments underlying the site are comprised of a series of non-marine and marine transported deposits of sand, silt and clay. The near-surface sedimentary materials are primarily deposits of the San Gabriel River and its tributaries and consist of silt, sand and some gravel. The river system originates in the San Gabriel Mountains, northeast of the site, and extends to the Pacific Ocean. The San Gabriel River flows through the Whittier Narrows, a geographic gap between the Puente Hills and the Montebello Hills.

Near-surface sediments have been drilled and sampled during the course of site activities completed at the site. The near-surface sediments consist of silt, sand and some gravel to a depth of about 50 feet below ground surface (bgs). Historically, groundwater has been measured in onsite groundwater monitoring wells at depths of approximately 23 to 39 feet bgs. The depth to groundwater has fluctuated over time. For example, the depth to groundwater in wells MW-1 through MW-3 increased from about 25 to 26 feet bgs in December 2000 to approximately 38 feet bgs in August 2004. However, depth to groundwater has decreased significantly (approximately 8 to 10 feet) in most of the site monitoring wells since the second quarter of 2005, likely due to the heavy winter precipitation that the region experienced during that time. Water levels have remained relatively stable since then, although depth to groundwater has increased somewhat over the last several quarters. The direction of groundwater flow is typically to the southwest.

3.2 Regional Hydrogeology

Information regarding the groundwater aquifers in the area of the site was obtained from Department of Water Resources Bulletin 104 (1988). The site is located at the eastern edge of the Montebello Forebay Area and the western edge of the Whittier Area in the coastal plain of Los Angeles County. The site is located within the La Habra Piedmont Slope located south of Puente Hills. Recent alluvium is present near the

ground surface and the Gaspar Aquifer is present within a depth of 50 feet bgs. The Gardena Aquifer is present within a depth of 150 feet bgs and the Lynwood Aquifer is present within depths of 200 to 300 feet bgs. The Silverado Aquifer is located approximately 350 to 500 feet bgs and the Sunnyside Aquifer is located greater than 500 feet bgs.

Although the Bellflower Aquiclude is not depicted in Cross Section N-N' of Bulletin 104, the presence of the aquiclude has been identified beneath the subject property on isopach maps of the different water-bearing units (Bulletin 104). The aquiclude consists of clays and silty clays. The depth to the base of the Bellflower Aquiclude in the vicinity of the subject property is approximately 120 feet above mean sea level (msl). The ground elevation of the subject property is about 155 feet above msl, thus, pursuant to Bulletin 104, the depth to the base of the Bellflower Aquiclude at the subject property is about 35 feet bgs. This depth of the base of the Bellflower coincides with the base of a silty zone that was encountered onsite, which extends from about 15 to 30 feet bgs.

The nearest surface water bodies to the site are the Sorensen Drain and the San Gabriel River. The Sorensen Drain is located approximately 2,400 feet to the southwest of the site and flows southeast to La Cañada Verde Creek. The San Gabriel River is located approximately 7,200 feet (1.4 miles) to the northwest of the site and flows to the southwest.

4 Groundwater Monitoring and Sampling

Methods for measuring depth to water, collecting groundwater samples, and performing laboratory analysis are presented below.

4.1 Depth to Water Measurements

The depth to static groundwater was measured prior to sampling in monitoring wells MW-1 through MW-5, MW-7, MW-8, SGI-01 and SGI-02 on May 12, 2008. Wells SGI-01 and SGI-02 are not normally measured but were included this quarter to compare against nearby well MW-5, which has shown anomalous water level readings over the past several quarters. Water-level data was recorded on the well gauging data forms and well monitoring data sheets (Appendix A). The location of each groundwater monitoring well is shown on Figure 2. Construction details for the groundwater monitoring wells are presented in Table 1.

4.2 Groundwater Sampling

During this quarterly monitoring period, groundwater samples were collected from a total of seven monitoring wells. Groundwater samples were collected on May 12, 2008 from monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-7 and MW-8. Groundwater samples and water level data were collected in general accordance with United States Environmental Protection Agency (EPA) sampling guidance.

A 2-inch diameter Grundfos submersible electric pump with new tubing was used for low-flow (approximately 100 ml/min) purging of each monitoring well. During purging the pH, temperature, specific conductance, turbidity, oxidation-reduction potential (ORP) and dissolved oxygen of purge water were monitored with in-line meters and recorded on the sampling forms. Qualitative observations were also recorded. Purging continued until stabilization of water quality parameters (± 0.1 units for pH and $\pm 3\%$ for specific conductance) was achieved. These parameters were measured to assess the stability of extracted groundwater. Stable field parameter measurements tend to indicate that the groundwater samples collected will be representative of in-situ groundwater conditions. Field measurement instruments were calibrated daily prior to their use. The recorded field measurements are included on the well monitoring data sheets presented in Appendix A. The instrument calibration data is presented on the Test Equipment Calibration Log (Appendix A). Monitoring well purge water is being stored onsite in labeled 55-gallon drums until proper disposal is arranged.

In addition to the samples collected from the seven wells, a duplicate sample (MW-DUP) was collected from monitoring well MW-5 for quality control (QC) purposes to assess the reproducibility of laboratory results. Included in the laboratory report (Appendix B) is a sample receipt checklist indicating the condition of the sample containers and cooler upon arrival at the laboratory. This form indicates that the samples arrived intact and within the prescribed EPA temperature range of 4 degrees Celsius ($^{\circ}\text{C}$) $\pm 2^{\circ}\text{C}$ during storage and transport.

4.3 Laboratory Analysis

Samples collected during this quarterly monitoring event were submitted to TestAmerica Laboratories, Inc. (STL) of Pleasanton, California, a State-of-California certified analytical laboratory following chain of custody protocols. All groundwater samples collected this quarter were analyzed for VOCs using EPA Method 8260B. Copies of laboratory reports and chain of custody records are included in Appendix B.

5 Results of Water-Level Measurements

Depth to water measurements in monitoring wells this quarter ranged from 32.34 feet below top of casing (btc) to 36.00 feet btc in wells MW-8 and SGI-01, respectively. The calculated water surface elevations in this zone ranged from 118.86 feet above msl to 119.71 feet above msl. The average groundwater elevation calculated this quarter was 1.39 feet higher than the previous quarter (February 2008).

The depth to water measurements and calculated groundwater elevations in each monitoring well this quarter are presented in Table 2. Historical groundwater elevations are listed in Appendix C. A groundwater contour map illustrating the interpreted potentiometric surface for this quarterly monitoring period is presented on Figure 3. As this figure illustrates, the direction of groundwater flow is generally to the southwest. The average hydraulic gradient is approximately 0.001.

6 Results of Chemical Analyses

The following sections summarize the analytical results of the groundwater samples obtained as part of this quarterly monitoring event. The analytical results of groundwater samples collected in May 2008 (second quarter 2008) are listed in Table 3. The distribution of analytes detected is shown on Figure 4. Historical analytical results are presented in Appendix D. Laboratory reports are included in Appendix B. Time-series plots of VOCs in site monitoring wells are included in Appendix E.

6.1 Chlorinated Volatile Organic Compounds

Five chlorinated VOCs were detected in groundwater samples obtained from groundwater monitoring wells at the site during this monitoring period. These VOCs are tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), 1,1-dichloroethene (1,1-DCE) and chloroform. No other VOCs were detected in groundwater samples collected this quarter.

6.1.1 Tetrachloroethene

PCE was detected in six of the seven monitoring wells sampled this quarter at concentrations ranging from 7.6 micrograms per liter ($\mu\text{g}/\text{L}$) in well MW-1 to 700 $\mu\text{g}/\text{L}$ in well MW-5 (duplicate sample). PCE was not detected in well MW-4 this quarter. Each of the six PCE detections this quarter are above the EPA Region 9 maximum contaminant level (MCL) for PCE of 5 $\mu\text{g}/\text{L}$.

6.1.2 Trichloroethene

TCE was detected in groundwater samples obtained from six of the seven monitoring wells sampled this quarter at concentrations ranging from 1.3 $\mu\text{g}/\text{L}$ in well MW-1 to 10 $\mu\text{g}/\text{L}$ in well MW-2. TCE was not detected in well MW-4 this quarter. The detected concentrations of TCE in two of the six wells (MW-2 and MW-8) exceed the EPA MCL of 5 $\mu\text{g}/\text{L}$.

6.1.3 Cis-1,2-Dichloroethene

Cis-1,2-DCE was detected in the groundwater sample from well MW-2 at a concentration of 1.3 $\mu\text{g}/\text{L}$. The detected concentration of cis-1,2-DCE in this well does not exceed the EPA MCL of 6 $\mu\text{g}/\text{L}$.

6.1.4 1,1- Dichloroethene

1,1-DCE was detected in groundwater samples obtained from four of the seven monitoring wells sampled this quarter at concentrations ranging from 1.4 µg/L in well MW-3 to 5.4 µg/L in well MW-7. The detected concentrations of 1,1-DCE do not exceed the EPA MCL of 6 µg/L

6.1.5 Chloroform

Chloroform was found in well MW-5 at a concentration of 1.6 µg/L. Chloroform was not detected in the other groundwater samples collected this quarter. The detected concentration of chloroform in well MW-5 does not exceed the EPA MCL of 100 µg/L.

6.2 Data Quality Assessment

A review of the laboratory's internal QA/QC analysis of analytical method blanks, laboratory control standards (LCS) and matrix spike/matrix spike duplicate (MS/MSD) samples indicate no significant deviations from internal laboratory QC limits. Laboratory QA/QC data is included with the analytical data presented in Appendix B.

An evaluation of the precision of duplicate groundwater sample results through the evaluation of relative percent difference (RPD) between the sample (MW-5) and duplicate (MW-DUP) is presented in Table 4. As Table 4 indicates, the RPDs for the analytes detected in the groundwater samples are less than 11 percent.

6.3 GeoTracker Database

The second quarter 2008 groundwater monitoring report, analytical data, and depth to water data have been generated in electronic format for upload to the State Water Resources Control Board GeoTracker on-line database (<http://www.geotracker.swrcb.ca.gov>).

7 Discussion of Quarterly Results

A brief discussion of groundwater elevations and groundwater quality for this quarter is presented below.

7.1 Groundwater Elevation and Flow Direction

As noted previously, the interpreted direction of groundwater flow this quarter is generally to the southwest at a gradient of approximately 0.001. This flow direction differs somewhat from the predominantly west-southwesterly flow direction that was evident last quarter, but is consistent with the flow direction observed over the last several years. A slight degree of mounding was again observed this quarter in the vicinity of wells MW-2 and MW-3. Overall groundwater elevations increased an average of 1.39 feet this quarter compared to the previous sampling event in February 2008. Groundwater elevations have decreased approximately 6 to 7 feet across the site since mid-2007 but have rebounded somewhat this quarter.

7.2 Groundwater Quality and Remedial Analysis

The detections of chlorinated VOCs in groundwater samples from on-site monitoring wells continue to show a decreasing trend that is attributed to active source area remedial activities implemented since mid-2005 that have included soil vapor extraction (SVE) and enhanced in-situ bioremediation (EISB). PCE concentrations are near historic lows in wells MW-2 and MW-3 and TCE concentrations have also decreased to historic or near-historic lows in these wells. In addition, PCE concentrations in well MW-1 have decreased significantly since 2005 and were at a historic low in this well this quarter. The highest concentrations of PCE were found in well MW-5 and in off-site well MW-7 this quarter. The time-series plots of VOCs (Appendix E) illustrate the substantial decreases in PCE concentrations in the on-site wells since mid-2002 and generally stable concentrations in the off-site wells.

The significant decreases in chlorinated VOC concentrations in groundwater since 2004 can be attributed to a combination of factors including natural attenuation, successful implementation of SVE remediation, and EISB injection activities. The significant decrease in groundwater elevation in 2004 (~10 feet) appears to have exposed the upper portion of the Gaspur Aquifer allowing natural attenuation of this unit and the lower portion of the overlying fine-grained soils. Additionally, based on the high hydraulic conductivity and transmissivity of the Gaspur Aquifer, natural attenuation by dispersion and dilution are also expected to be occurring. As displayed on the time series plots (Appendix E) for wells MW-1, MW-2, MW-3 and MW-5, implementation of SVE in 2005 and EISB remediation in 2006 has been very effective at reducing chlorinated

VOC concentrations on-site to the current historic lows. Mission's consultants have also identified a number of off-site sources of VOC and metal contamination affecting regional groundwater quality in the vicinity of the site including the Omega Superfund site that were reviewed with the RWQCB in January 2008. These off-site sources complicate interpretation of the chlorinated VOCs found in off-site areas.

8 Other Activities Completed This Quarter

CGC submitted the First Quarter 2008 Groundwater Monitoring Report for the site on behalf of Mission on April 21, 2008. SGI performed additional work at the site during the second quarter 2008. Additional work at the site included tasks associated with continued implementation of the corrective action activities for source area soil impacts and preparation of a remedial action plan. Work completed included the following:

- Submitted Vapor Extraction System (VES) Rebound Study Results and Proposed Future Activities Report to CRWQCB on May 27, 2008. Report presented recommendations for activities leading to system shutdown and confirmation soil sampling.
- Began operation of VES for expected last rebound period on June 3, 2008. Performed permit required O&M activities for VES for remainder of quarter.
- Preparation of draft Investigation Report and Remedial Action Plan.

9 Limitations and Professional Certification

This report has been prepared for the exclusive use by Mission as it pertains to the former Mission facility located at 11904-11920 East Washington Street, Santa Fe Springs, California. Services have been performed using that degree of care and skill ordinarily exercised under similar circumstances by reputable qualified environmental consultants practicing at this or similar locations. No other warranty, either expressed or implied, is made as to any professional advice included in this report. These services were performed consistent with the agreement between CGC and Mission.


Opinions and recommendations contained in this report apply to conditions existing when services were performed and are intended only for the client, purposes, locations, time frames, and project parameters indicated. CGC and Environmental Risk Solutions, Inc. do not warrant the accuracy of information supplied by others, or the use of segregated portions of this report.

Sincerely,


CGC Environmental, Inc.



Norman D. Colby, P.G., C.Hg.
Principal Hydrogeologist



Figures



0 .4 .8 Mile

N




CGC Environmental, Inc.

Project Name: Former Mission Linen Supply Facility - Santa Fe Springs, CA

Date: July 2008

Site Location Map
Former Mission Linen Supply Facility
Santa Fe Springs, California

Figure 1




CGC Environmental, Inc.

Project Name: Former Mission Linen Supply Facility - Santa Fe Springs, CA

Date: July 2008

Site Plan
Former Mission Linen Supply Facility
Santa Fe Springs, California

Figure 2




CGC Environmental, Inc.

Project Name: Former Mission Linen Supply Facility - Santa Fe Springs, CA

Date: July 2008

Groundwater Elevation Contour Map
(May 2008)
Former Mission Linen Supply Facility
Santa Fe Springs, California

Figure 3



Project Name: Former Mission Linen Supply Facility - Santa Fe Springs, Ca
Date: July 2008

**Groundwater Analytical Results
(May 2008)**
**Former Mission Linen Supply Facility
Santa Fe Springs, California**

Figure 4

Tables

Table 1
Monitoring Well Construction Details
Former Mission Linen Supply Facility
Santa Fe Springs, California

Well	Well Diameter (inches)	Total Depth (feet bgs)	Screened Interval (feet bgs)	Top of Casing Elevation (feet msl)
MW-1	4	40	--	153.86
MW-2	4	40	--	153.72
MW-3	4	40	--	152.42
MW-4	2	45	30-45	155.45
MW-5	2	45	30-45	154.90
MW-7	2	45	30-45	152.54
MW-8	2	45	30-45	151.20
SGI-01	2	55	35-55	155.37
SGI-02	4	55	35-55	154.67

Notes:

bgs = below ground surface

msl = mean sea level

-- = data not available

Wells MW-1 through MW-8 surveyed on June 29, 2004; wells SGI-01 and SGI-02 surveyed August 3, 2005;
wells MW-1 through MW-5 resurveyed on February 9, 2006. All wells surveyed by WM Holdings, Inc.
to the Los Angeles County Benchmark No. Y-3721 benchmark based on October 1999 survey.

Table based on Rincon July 2004 quarterly report and updated with new survey data.

Table 2

Groundwater Elevations

May 12, 2008

Former Mission Linen Supply Facility

11904-11920 E. Washington Boulevard, Santa Fe Springs, California

Well	Casing Elevation	Depth to Groundwater	Groundwater Elevation
MW-1	153.86	34.38	119.48
MW-2	153.72	34.15	119.57
MW-3	152.42	32.85	119.57
MW-4	155.45	35.74	119.71
MW-5	154.90	35.57	119.33
MW-7	152.54	33.29	119.25
MW-8	151.20	32.34	118.86
SGI-01	155.37	36.00	119.37
SGI-02	154.67	35.30	119.37

Notes:

All water level depths are in feet below top of well casing.

All elevations are in feet above mean sea level (msl)

Depth to groundwater not normally measured in wells SGI-01 and SGI-02; these wells are currently used for remediation testing purposes only.

Table 3

Groundwater Analytical Results
 Second Quarter 2008
 Former Mission Linen Supply Facility
 11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	Cis-1,2-Dichloroethene (cis-1,2- DCE)	Trans-1,2-Dichloroethene (trans-1,2-DCE)	1,1-Dichloroethene (1,1- DCE)	Vinyl Chloride	Chloroform
MW-1	5/12/2008	7.6	1.3	<0.5	<0.5	<0.5	<0.5	<1.0
MW-2	5/12/2008	140	10	1.3	<1.0	2.9	<1.0	<2
MW-3	5/12/2008	99	3.7	<1.0	<1.0	1.4	<1.0	<2
MW-4	5/12/2008	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0
MW-5	5/12/2008	630	3.8	<10	<10	<10	<10	1.6
MW-7	5/12/2008	210	4.4	<2.5	<2.5	5.4	<2.5	<5.0
MW-8	5/12/2008	51	9.1	<0.5	<0.5	1.9	<0.5	<1.0
MW-DUP (MW-5)	5/12/2008	700	4.2	<2.5	<2.5	<2.5	<2.5	<5.0
MCL		5	5	6	10	6	0.5	100.0

Notes:

All concentrations in micrograms per Liter (ug/L)

< = not detected at the detection limit shown

Bold Indicates detection of analyte above MCL

MCL = EPA Region 9 Maximum Contaminant Level for Drinking water

Wells SGI-01 and SGI-02 not sampled during quarterly monitoring; these wells are currently used for remediation testing purposes only. Wells installed March 21, 2005

Table 4

Summary of Duplicate Sample QA/QC Data
Former Mission Linen Supply Facility
11904-11920 East Washington Boulevard, Santa Fe Springs, California

Well ID	Date Sampled		Tetrachloroethene (PCE)	Trichloroethene (TCE)	chloroform
			ug/L ^b		
MW-5	5/12/2008	Sample	630	3.8	1.6
		Duplicate Sample	700	4.2	<5.0
		RPD (%) ^a	10.5	10.0	--

NOTES:

a. RPD (%) = Relative Percent Difference reported as percent of 100

b. ug/L = Micrograms per Liter

Appendix A

Groundwater Monitoring Field Sampling Forms

WELL GAUGING DATA

Project # 080512-CI Date 5.12.08 Client CGC

Site 11904 E. WASHINGTON AVE, SANTA FE SPRINGS

LOW FLOW WELL MONITORING DATA SHEET

Project #: 080512- <u>II</u>	Client: CGC Environmental, Inc.
Sampler: <u>I</u>	Start Date: <u>5.17.08</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: <u>39.55</u>	Depth to Water <u>34.38</u>
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: <u>PVC</u>	Flow Cell Type: <u>YSI 556</u>

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other _____
Flow Rate: 160 ml/min Pump Depth: 38.5'

STAR @ 100%	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or mL)	DTW
1013	18.71	6.76	3.280	305	3.40	82.7	500	34.33
1018	18.67	6.73	3.575	195	1.73	44.6	1000	34.33
1023	18.13	6.73	3.612	137	1.74	38.9	1500	34.33
1028	18.12	6.73	3.612	132	1.78	35.2	2000	34.33
1033	18.10	6.73	3.613	130	1.80	39.7	2500	34.33

Did well dewater? Yes No Amount actually evacuated: 2500 ml

Sampling Time: 10:35 Sampling Date: 5.17.08

Sample I.D.: MW-1 Laboratory: STL-SFO

Analyzed for: VOC's by 8260B Other:

Equipment Blank I.D.: @ Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 080512-CI	Client: CGC Environmental, Inc.
Sampler: CI	Start Date: 5.17.08
Well I.D.: MW-2	Well Diameter: 2 3 <input checked="" type="radio"/> 4 6 8
Total Well Depth: 39.66	Depth to Water 34.15
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
Sampling Method: Dedicated Tubing New Tubing Other _____
Flow Rate: 100 mL/min Pump Depth: 39'

START @ 1414 Time	Temp. (°C or °F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Water Removed (gals. or ml)	DTW
1419	21.05	6.84	2343	544	1.39	58.7	500	34.11
1424	20.94	6.84	2418	362	0.93	58.0	1000	34.11
1429	20.77	6.84	2450	296	1.30	56.9	1500	34.11
1434	20.67	6.84	2456	220	1.27	56.3	2000	34.11
1439	20.73	6.84	2458	225	1.32	55.7	2500	34.11
1444	20.80	6.83	2456	216	1.37	54.9	3000	34.11

Did well dewater? Yes No Amount actually evacuated: 3000 ml

Sampling Time: 1445 Sampling Date: 5.12.08

Sample I.D.: MW-2 Laboratory: STL-SFO

Analyzed for: VOC's by 8260B Other:

Equipment Blank I.D.: Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 080512-01	Client: CGC Environmental, Inc.
Sampler: CT	Start Date: 5-12-08
Well I.D.: MW-3	Well Diameter: 2 3 4 6 8
Total Well Depth: 39.46	Depth to Water 32.85
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC	Flow Cell Type: YSI 356

Purge Method: 2" Grundfos Pump

Sampling Method: Dedicated Tubing

Flow Rate: 100 ml/min Pump Depth: $38.5'$

Flow Rate: 200 ml/min Pump Depth: 30 cm

STARE

Did well dewater? Yes No Amount actually evacuated: ~~2000~~ ml

Sampling Time: 1300 Sampling Date: 5.12.08

Sample I.D.: Mw-3 Laboratory: STL-SFO

Analyzed for: VOC's by 9260B Other:

Equipment Blank I.D.:  Time Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 080512-CL1	Client: CGC Environmental, Inc.
Sampler: CL	Start Date: 5.12.08
Well I.D.: MW-4	Well Diameter: ② 3 4 6 8
Total Well Depth: 43.69	Depth to Water 35.74
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC	Flow Cell Type: YSL556

Purge Method: 2" Grundfos Pump Peristaltic Pump Bladder Pump
 Sampling Method: Dedicated Tubing New Tubing Other _____
 Flow Rate: 100 mL/min Pump Depth: 41'

SPOT@ 0912	Temp. (°C or °F)	pH	3% Cond. (mS or µS)	10% Turbidity (NTUs)	10% D.O. (mg/L)	10% ORP (mV)	Water Removed (gals. or mL)	DTW
0927	19.23	6.79	1.518	>1000	4.93	127.8	500	35.74
0932	19.38	6.78	1.532	880	4.87	115.9	1000	35.72
0937	19.42	6.79	1.541	376	4.76	108.2	1500	35.73
0942	19.34	6.79	1.545	348	4.73	105.9	2000	35.72
0947	19.38	6.79	1.547	342	4.74	101.4	2500	35.72

Did well dewater? Yes	No	Amount actually evacuated: 2500 mL
Sampling Time: 0950		Sampling Date: 5.12.08
Sample I.D.: MW-4		Laboratory: STL-SFO
Analyzed for:	VOC's by 8260B	Other:
Equipment Blank I.D.:	@ Time	Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 080512-CTI	Client: CGC Environmental, Inc.
Sampler: CT	Start Date: 5.12.08
Well I.D.: MW-5	Well Diameter: <input checked="" type="radio"/> 3 4 6 8
Total Well Depth: 43.93	Depth to Water 35.57
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump

Sampling Method: Dedicated Tubing

Flow Rate: 100 ml/min

Peristaltic Pump

New Tubing

Bump Depth: 47'

Bump Depth: 47'

Did well dewater? Yes

1

Amount actually evacuated: 2,500 m³

Sampling Time: 13:00

Sampling Date: 5.17.08

Sample I.D.: MWL-S

Laboratory: STL-SEO

Analyzed for:

VOEs by 8260B

Other:

Equipment Blank LD :

4

Tijm

Duplicate I.D.:

LOW FLOW WELL MONITORING DATA SHEET

Project #: 080512-L1	Client: CGC Environmental, Inc.
Sampler: CT	Start Date: 5-12-08
Well I.D.: MW-7	Well Diameter: ② 3 4 6 8 _____
Total Well Depth: 42.43	Depth to Water 33.29
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC	Flow Cell Type: YSI 556

Purge Method: 2" Grundfos Pump

Sampling Method: Dedicated Tubing

Flow Rate: 100 ml/min

Peristaltic Pump

New Tubing

Pump Depth: 41'

Bladder Pump

Other _____

Did well dewater? Yes

1

Amount actually evacuated: zero mi

Sampling Time: 12:10

Sampling Date: 5/12/08

Sample I.D.: MW-7

Laboratory:

Analyzed for:

VOC's by 8260B

Other..

Equipment Blank LD

1

Duplicate I.D.:

WELLHEAD INSPECTION CHECKLIST

Page _____ of _____

Client CCC

Date 5.12.08

Site Address 11904 EAST WASHINGTON AVE, SANTA FE SPRINGS

Job Number 080512-01

Technician CL

NOTES: MW-3
Mr. I 1 of 2 bolts missing
Mr. S NOT SECURE LID AND RIM DETACHED FROM BOX

TEST EQUIPMENT CALIBRATION LOG

SPH or Purge Water Drum Log

Client: CGC Environmental
 Site Address: 11904 E Washington Blvd, Santa Fe Springs

STATUS OF DRUM(S) UPON ARRIVAL

Date	11-12-07	2-18-08	5-12-08			
Number of drum(s) empty:	2	1	2			
Number of drum(s) 1/4 full:	2	0	0			
Number of drum(s) 1/2 full:	-	0	0			
Number of drum(s) 3/4 full:	2	0	0			
Number of drum(s) full:	-	5	7			
Total drum(s) on site:	6	6	9			
Are the drum(s) properly labeled?	Yes	X ^{haven't seen}	UNSURE			
Drum ID & Contents:	D-1, D-2, D-3 D-1 purged H ₂ O	(labelled) labeled	LABELS FAULTY			
If any drum(s) are partially or totally filled, what is the first use date:						

- If you add any SPH to an empty or partially filled drum, drum must have at least 20 gals. of Purgewater or DI Water.

- If drum contains SPH, the drum MUST be steel AND labeled with the appropriate label.

- All BTS drums MUST be labeled appropriately.

STATUS OF DRUM(S) UPON DEPARTURE

Date	11-12-07	2-18-08	5-12-08			
Number of drums empty:	2	1	2			
Number of drum(s) 1/4 full:	1	0	1			
Number of drum(s) 1/2 full:	1	1	0			
Number of drum(s) 3/4 full:	2	0	0			
Number of drum(s) full:	-	5	7			
Total drum(s) on site:	6	7	10			
Are the drum(s) properly labeled?	Yes	Yes	YES			
Drum ID & Contents:	D-1, D-2, D-3, D-4 purged H ₂ O	PURGED H ₂ O	PURGED H ₂ O			

LOCATION OF DRUM(S)

Describe location of drum(s): Inside remedial compound

FINAL STATUS

Number of new drum(s) left on site this event	0	1	1			
Date of inspection:	11-12-07	2-18-08	5-12-08			
Drum(s) labelled properly:	Yes	Yes	Yes			
Logged by BTS Field Tech:	AN	CM	CI			
Office reviewed by:						

Appendix B

Laboratory Data and Chain of Custody Records

ANALYTICAL REPORT

Job Number: 720-14318-1

Job Description: Mission Linen/Santa Fe Springs

For:
CGC Environmental, Inc.
16596 Tiburon Place
Huntington Beach, CA 92649
Attention: Ms. Karen Colby



Afsaneh Salimpour
Project Manager I
afsaneh.salimpour@testamericainc.com
05/27/2008

cc: Mr. Norm Colby

EXECUTIVE SUMMARY - Detections

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Lab Sample ID Analyte	Client Sample ID Analyte	Result / Qualifier	Reporting Limit	Units	Method
720-14318-1	MW-1				
Tetrachloroethene		7.6	0.50	ug/L	8260B
Trichloroethene		1.3	0.50	ug/L	8260B
720-14318-2	MW-2				
1,1-Dichloroethene		2.9	1.0	ug/L	8260B
cis-1,2-Dichloroethene		1.3	1.0	ug/L	8260B
Tetrachloroethene		140	1.0	ug/L	8260B
Trichloroethene		10	0.50	ug/L	8260B
720-14318-3	MW-3				
1,1-Dichloroethene		1.4	1.0	ug/L	8260B
Tetrachloroethene		99	1.0	ug/L	8260B
Trichloroethene		3.7	1.0	ug/L	8260B
720-14318-5	MW-5				
Chloroform		1.6	1.0	ug/L	8260B
Tetrachloroethene		630	10	ug/L	8260B
Trichloroethene		3.8	0.50	ug/L	8260B
720-14318-6	MW-7				
1,1-Dichloroethene		5.4	2.5	ug/L	8260B
Tetrachloroethene		210	2.5	ug/L	8260B
Trichloroethene		4.4	2.5	ug/L	8260B
720-14318-7	MW-8				
1,1-Dichloroethene		1.9	0.50	ug/L	8260B
Tetrachloroethene		51	0.50	ug/L	8260B
Trichloroethene		9.1	0.50	ug/L	8260B
720-14318-8	MW-DUP				
Tetrachloroethene		700	5.0	ug/L	8260B
Trichloroethene		4.2	2.5	ug/L	8260B

METHOD SUMMARY

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS (Low Level) Purge-and-Trap	TAL SF TAL SF	SW846 8260B SW846 5030B	

Lab References:

TAL SF = TestAmerica San Francisco

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Method	Analyst	Analyst ID
SW846 8260B	Chen, Amy	AC

SAMPLE SUMMARY

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
720-14318-1	MW-1	Water	05/12/2008 1035	05/14/2008 0905
720-14318-2	MW-2	Water	05/12/2008 1445	05/14/2008 0905
720-14318-3	MW-3	Water	05/12/2008 1300	05/14/2008 0905
720-14318-4	MW-4	Water	05/12/2008 0950	05/14/2008 0905
720-14318-5	MW-5	Water	05/12/2008 1350	05/14/2008 0905
720-14318-6	MW-7	Water	05/12/2008 1210	05/14/2008 0905
720-14318-7	MW-8	Water	05/12/2008 1120	05/14/2008 0905
720-14318-8	MW-DUP	Water	05/12/2008 0000	05/14/2008 0905

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-1

Lab Sample ID: 720-14318-1

Client Matrix: Water

Date Sampled: 05/12/2008 1035

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35796	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/20/2008 1536			Final Weight/Volume:	40 mL
Date Prepared:	05/20/2008 1536				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		5.0
Acetone	ND		50
Benzene	ND		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	ND		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	ND		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	ND		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	ND		0.50
cis-1,2-Dichloroethene	ND		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0
Methylene Chloride	ND		5.0

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-1

Lab Sample ID: 720-14318-1

Date Sampled: 05/12/2008 1035

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35796	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/20/2008 1536			Final Weight/Volume:	40 mL
Date Prepared:	05/20/2008 1536				

Analyte	Result (ug/L)	Qualifier	RL
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	7.6		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	1.3		0.50
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		50
Vinyl chloride	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	104		71 - 139
1,2-Dichloroethane-d4 (Surr)	107		62 - 118
Toluene-d8 (Surr)	102		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-2

Lab Sample ID: 720-14318-2

Date Sampled: 05/12/2008 1445

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35796	Instrument ID:	Varian 3900F
Preparation:	5030B	Lab File ID:	c:\saturnws\data\200805\05		
Dilution:	1.0	Initial Weight/Volume:	40 mL		
Date Analyzed:	05/20/2008 1716	Final Weight/Volume:	40 mL		
Date Prepared:	05/20/2008 1716				

Analyte	Result (ug/L)	Qualifier	RL
Chloroform	ND		1.0
Trichloroethene	10		0.50
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	100		71 - 139
1,2-Dichloroethane-d4 (Surr)	100		62 - 118
Toluene-d8 (Surr)	100		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-2

Lab Sample ID: 720-14318-2

Client Matrix: Water

Date Sampled: 05/12/2008 1445

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	2.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1832			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1832				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		10
Acetone	ND		100
Benzene	ND		1.0
Dichlorobromomethane	ND		1.0
Bromobenzene	ND		2.0
Chlorobromomethane	ND		2.0
Bromoform	ND		2.0
Bromomethane	ND		2.0
2-Butanone (MEK)	ND		100
n-Butylbenzene	ND		2.0
sec-Butylbenzene	ND		2.0
tert-Butylbenzene	ND		2.0
Carbon disulfide	ND		10
Carbon tetrachloride	ND		1.0
Chlorobenzene	ND		1.0
Chloroethane	ND		2.0
Chloromethane	ND		2.0
2-Chlorotoluene	ND		1.0
4-Chlorotoluene	ND		1.0
Chlorodibromomethane	ND		1.0
1,2-Dichlorobenzene	ND		1.0
1,3-Dichlorobenzene	ND		1.0
1,4-Dichlorobenzene	ND		1.0
1,3-Dichloropropane	ND		2.0
1,1-Dichloropropene	ND		1.0
1,2-Dibromo-3-Chloropropane	ND		2.0
Ethylene Dibromide	ND		1.0
Dibromomethane	ND		1.0
Dichlorodifluoromethane	ND		1.0
1,1-Dichloroethane	ND		1.0
1,2-Dichloroethane	ND		1.0
1,1-Dichloroethene	2.9		1.0
cis-1,2-Dichloroethene	1.3		1.0
trans-1,2-Dichloroethene	ND		1.0
1,2-Dichloropropane	ND		1.0
cis-1,3-Dichloropropene	ND		1.0
trans-1,3-Dichloropropene	ND		1.0
Ethylbenzene	ND		1.0
Hexachlorobutadiene	ND		2.0
2-Hexanone	ND		100
Isopropylbenzene	ND		1.0
4-Isopropyltoluene	ND		2.0
Methylene Chloride	ND		10
4-Methyl-2-pentanone (MIBK)	ND		100

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-2

Lab Sample ID: 720-14318-2

Date Sampled: 05/12/2008 1445

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	2.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1832			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1832				

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		2.0
N-Propylbenzene	ND		2.0
Styrene	ND		1.0
1,1,1,2-Tetrachloroethane	ND		1.0
1,1,2,2-Tetrachloroethane	ND		1.0
Tetrachloroethene	140		1.0
Toluene	ND		1.0
1,2,3-Trichlorobenzene	ND		2.0
1,2,4-Trichlorobenzene	ND		2.0
1,1,1-Trichloroethane	ND		1.0
1,1,2-Trichloroethane	ND		1.0
Trichlorofluoromethane	ND		2.0
1,2,3-Trichloropropane	ND		1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0
1,2,4-Trimethylbenzene	ND		1.0
1,3,5-Trimethylbenzene	ND		1.0
Vinyl acetate	ND		100
Vinyl chloride	ND		1.0
Xylenes, Total	ND		2.0
2,2-Dichloropropane	ND		1.0
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	106		71 - 139
1,2-Dichloroethane-d4 (Surr)	115		62 - 118
Toluene-d8 (Surr)	104		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-3

Lab Sample ID: 720-14318-3

Client Matrix: Water

Date Sampled: 05/12/2008 1300

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	2.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1905			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1905				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		10
Acetone	ND		100
Benzene	ND		1.0
Dichlorobromomethane	ND		1.0
Bromobenzene	ND		2.0
Chlorobromomethane	ND		2.0
Bromoform	ND		2.0
Bromomethane	ND		2.0
2-Butanone (MEK)	ND		100
n-Butylbenzene	ND		2.0
sec-Butylbenzene	ND		2.0
tert-Butylbenzene	ND		2.0
Carbon disulfide	ND		10
Carbon tetrachloride	ND		1.0
Chlorobenzene	ND		1.0
Chloroethane	ND		2.0
Chloroform	ND		2.0
Chloromethane	ND		2.0
2-Chlorotoluene	ND		1.0
4-Chlorotoluene	ND		1.0
Chlorodibromomethane	ND		1.0
1,2-Dichlorobenzene	ND		1.0
1,3-Dichlorobenzene	ND		1.0
1,4-Dichlorobenzene	ND		1.0
1,3-Dichloropropane	ND		2.0
1,1-Dichloropropene	ND		1.0
1,2-Dibromo-3-Chloropropane	ND		2.0
Ethylene Dibromide	ND		1.0
Dibromomethane	ND		1.0
Dichlorodifluoromethane	ND		1.0
1,1-Dichloroethane	ND		1.0
1,2-Dichloroethane	ND		1.0
1,1-Dichloroethene	1.4		1.0
cis-1,2-Dichloroethene	ND		1.0
trans-1,2-Dichloroethene	ND		1.0
1,2-Dichloropropane	ND		1.0
cis-1,3-Dichloropropene	ND		1.0
trans-1,3-Dichloropropene	ND		1.0
Ethylbenzene	ND		1.0
Hexachlorobutadiene	ND		2.0
2-Hexanone	ND		100
Isopropylbenzene	ND		1.0
4-Isopropyltoluene	ND		2.0
Methylene Chloride	ND		10

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-3

Lab Sample ID: 720-14318-3

Date Sampled: 05/12/2008 1300

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	2.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1905			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1905				

Analyte	Result (ug/L)	Qualifier	RL
4-Methyl-2-pentanone (MIBK)	ND		100
Naphthalene	ND		2.0
N-Propylbenzene	ND		2.0
Styrene	ND		1.0
1,1,1,2-Tetrachloroethane	ND		1.0
1,1,2,2-Tetrachloroethane	ND		1.0
Tetrachloroethene	99		1.0
Toluene	ND		1.0
1,2,3-Trichlorobenzene	ND		2.0
1,2,4-Trichlorobenzene	ND		2.0
1,1,1-Trichloroethane	ND		1.0
1,1,2-Trichloroethane	ND		1.0
Trichloroethene	3.7		1.0
Trichlorofluoromethane	ND		2.0
1,2,3-Trichloropropane	ND		1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0
1,2,4-Trimethylbenzene	ND		1.0
1,3,5-Trimethylbenzene	ND		1.0
Vinyl acetate	ND		100
Vinyl chloride	ND		1.0
Xylenes, Total	ND		2.0
2,2-Dichloropropane	ND		1.0
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	104		71 - 139
1,2-Dichloroethane-d4 (Surr)	111		62 - 118
Toluene-d8 (Surr)	102		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-4

Lab Sample ID: 720-14318-4

Client Matrix: Water

Date Sampled: 05/12/2008 0950

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1725			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1725				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		5.0
Acetone	ND		50
Benzene	ND		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	ND		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	ND		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	ND		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	ND		0.50
cis-1,2-Dichloroethene	ND		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0
Methylene Chloride	ND		5.0

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-4

Lab Sample ID: 720-14318-4

Date Sampled: 05/12/2008 0950

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1725			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1725				

Analyte	Result (ug/L)	Qualifier	RL
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	ND		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	ND		0.50
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		50
Vinyl chloride	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	103		71 - 139
1,2-Dichloroethane-d4 (Surr)	107		62 - 118
Toluene-d8 (Surr)	102		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-5

Lab Sample ID: 720-14318-5

Date Sampled: 05/12/2008 1350

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35796	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/20/2008 1823			Final Weight/Volume:	40 mL
Date Prepared:	05/20/2008 1823				

Analyte	Result (ug/L)	Qualifier	RL
Chloroform	1.6		1.0
Trichloroethene	3.8		0.50
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	103		71 - 139
1,2-Dichloroethane-d4 (Surr)	105		62 - 118
Toluene-d8 (Surr)	98		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-5

Lab Sample ID: 720-14318-5

Client Matrix: Water

Date Sampled: 05/12/2008 1350

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	20			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 2012			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 2012				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		100
Acetone	ND		1000
Benzene	ND		10
Dichlorobromomethane	ND		10
Bromobenzene	ND		20
Chlorobromomethane	ND		20
Bromoform	ND		20
Bromomethane	ND		20
2-Butanone (MEK)	ND		1000
n-Butylbenzene	ND		20
sec-Butylbenzene	ND		20
tert-Butylbenzene	ND		20
Carbon disulfide	ND		100
Carbon tetrachloride	ND		10
Chlorobenzene	ND		10
Chloroethane	ND		20
Chloromethane	ND		20
2-Chlorotoluene	ND		10
4-Chlorotoluene	ND		10
Chlorodibromomethane	ND		10
1,2-Dichlorobenzene	ND		10
1,3-Dichlorobenzene	ND		10
1,4-Dichlorobenzene	ND		10
1,3-Dichloropropane	ND		20
1,1-Dichloropropene	ND		10
1,2-Dibromo-3-Chloropropane	ND		20
Ethylene Dibromide	ND		10
Dibromomethane	ND		10
Dichlorodifluoromethane	ND		10
1,1-Dichloroethane	ND		10
1,2-Dichloroethane	ND		10
1,1-Dichloroethene	ND		10
cis-1,2-Dichloroethene	ND		10
trans-1,2-Dichloroethene	ND		10
1,2-Dichloropropane	ND		10
cis-1,3-Dichloropropene	ND		10
trans-1,3-Dichloropropene	ND		10
Ethylbenzene	ND		10
Hexachlorobutadiene	ND		20
2-Hexanone	ND		1000
Isopropylbenzene	ND		10
4-Isopropyltoluene	ND		20
Methylene Chloride	ND		100
4-Methyl-2-pentanone (MIBK)	ND		1000

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-5

Lab Sample ID: 720-14318-5

Date Sampled: 05/12/2008 1350

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	20			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 2012			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 2012				

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		20
N-Propylbenzene	ND		20
Styrene	ND		10
1,1,1,2-Tetrachloroethane	ND		10
1,1,2,2-Tetrachloroethane	ND		10
Tetrachloroethene	630		10
Toluene	ND		10
1,2,3-Trichlorobenzene	ND		20
1,2,4-Trichlorobenzene	ND		20
1,1,1-Trichloroethane	ND		10
1,1,2-Trichloroethane	ND		10
Trichlorofluoromethane	ND		20
1,2,3-Trichloropropane	ND		10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10
1,2,4-Trimethylbenzene	ND		10
1,3,5-Trimethylbenzene	ND		10
Vinyl acetate	ND		1000
Vinyl chloride	ND		10
Xylenes, Total	ND		20
2,2-Dichloropropane	ND		10
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	105		71 - 139
1,2-Dichloroethane-d4 (Surr)	107		62 - 118
Toluene-d8 (Surr)	101		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-7

Lab Sample ID: 720-14318-6

Client Matrix: Water

Date Sampled: 05/12/2008 1210

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	5.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1545			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1545				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		25
Acetone	ND		250
Benzene	ND		2.5
Dichlorobromomethane	ND		2.5
Bromobenzene	ND		5.0
Chlorobromomethane	ND		5.0
Bromoform	ND		5.0
Bromomethane	ND		5.0
2-Butanone (MEK)	ND		250
n-Butylbenzene	ND		5.0
sec-Butylbenzene	ND		5.0
tert-Butylbenzene	ND		5.0
Carbon disulfide	ND		25
Carbon tetrachloride	ND		2.5
Chlorobenzene	ND		2.5
Chloroethane	ND		5.0
Chloroform	ND		5.0
Chloromethane	ND		5.0
2-Chlorotoluene	ND		2.5
4-Chlorotoluene	ND		2.5
Chlorodibromomethane	ND		2.5
1,2-Dichlorobenzene	ND		2.5
1,3-Dichlorobenzene	ND		2.5
1,4-Dichlorobenzene	ND		2.5
1,3-Dichloropropane	ND		5.0
1,1-Dichloropropene	ND		2.5
1,2-Dibromo-3-Chloropropane	ND		5.0
Ethylene Dibromide	ND		2.5
Dibromomethane	ND		2.5
Dichlorodifluoromethane	ND		2.5
1,1-Dichloroethane	ND		2.5
1,2-Dichloroethane	ND		2.5
1,1-Dichloroethene	5.4		2.5
cis-1,2-Dichloroethene	ND		2.5
trans-1,2-Dichloroethene	ND		2.5
1,2-Dichloropropane	ND		2.5
cis-1,3-Dichloropropene	ND		2.5
trans-1,3-Dichloropropene	ND		2.5
Ethylbenzene	ND		2.5
Hexachlorobutadiene	ND		5.0
2-Hexanone	ND		250
Isopropylbenzene	ND		2.5
4-Isopropyltoluene	ND		5.0
Methylene Chloride	ND		25

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-7

Lab Sample ID: 720-14318-6

Date Sampled: 05/12/2008 1210

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	5.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1545			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1545				

Analyte	Result (ug/L)	Qualifier	RL
4-Methyl-2-pentanone (MIBK)	ND		250
Naphthalene	ND		5.0
N-Propylbenzene	ND		5.0
Styrene	ND		2.5
1,1,1,2-Tetrachloroethane	ND		2.5
1,1,2,2-Tetrachloroethane	ND		2.5
Tetrachloroethene	210		2.5
Toluene	ND		2.5
1,2,3-Trichlorobenzene	ND		5.0
1,2,4-Trichlorobenzene	ND		5.0
1,1,1-Trichloroethane	ND		2.5
1,1,2-Trichloroethane	ND		2.5
Trichloroethene	4.4		2.5
Trichlorofluoromethane	ND		5.0
1,2,3-Trichloropropane	ND		2.5
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.5
1,2,4-Trimethylbenzene	ND		2.5
1,3,5-Trimethylbenzene	ND		2.5
Vinyl acetate	ND		250
Vinyl chloride	ND		2.5
Xylenes, Total	ND		5.0
2,2-Dichloropropane	ND		2.5
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	105		71 - 139
1,2-Dichloroethane-d4 (Surr)	105		62 - 118
Toluene-d8 (Surr)	105		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-8

Lab Sample ID: 720-14318-7

Client Matrix: Water

Date Sampled: 05/12/2008 1120

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1758			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1758				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		5.0
Acetone	ND		50
Benzene	ND		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	ND		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	ND		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	ND		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	1.9		0.50
cis-1,2-Dichloroethene	ND		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0
Methylene Chloride	ND		5.0

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-8

Lab Sample ID: 720-14318-7

Date Sampled: 05/12/2008 1120

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	1.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1758			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1758				

Analyte	Result (ug/L)	Qualifier	RL
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	51		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	9.1		0.50
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		50
Vinyl chloride	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	103		71 - 139
1,2-Dichloroethane-d4 (Surr)	109		62 - 118
Toluene-d8 (Surr)	103		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-DUP

Lab Sample ID: 720-14318-8

Date Sampled: 05/12/2008 0000

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35796	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	5.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/20/2008 2037			Final Weight/Volume:	40 mL
Date Prepared:	05/20/2008 2037				

Analyte	Result (ug/L)	Qualifier	RL
Chloroform	ND		5.0
Trichloroethene	4.2		2.5
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	100		71 - 139
1,2-Dichloroethane-d4 (Surr)	104		62 - 118
Toluene-d8 (Surr)	102		73 - 117

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-DUP

Lab Sample ID: 720-14318-8

Client Matrix: Water

Date Sampled: 05/12/2008 0000

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	10			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1939			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1939				

Analyte	Result (ug/L)	Qualifier	RL
Methyl tert-butyl ether	ND		50
Acetone	ND		500
Benzene	ND		5.0
Dichlorobromomethane	ND		5.0
Bromobenzene	ND		10
Chlorobromomethane	ND		10
Bromoform	ND		10
Bromomethane	ND		10
2-Butanone (MEK)	ND		500
n-Butylbenzene	ND		10
sec-Butylbenzene	ND		10
tert-Butylbenzene	ND		10
Carbon disulfide	ND		50
Carbon tetrachloride	ND		5.0
Chlorobenzene	ND		5.0
Chloroethane	ND		10
Chloromethane	ND		10
2-Chlorotoluene	ND		5.0
4-Chlorotoluene	ND		5.0
Chlorodibromomethane	ND		5.0
1,2-Dichlorobenzene	ND		5.0
1,3-Dichlorobenzene	ND		5.0
1,4-Dichlorobenzene	ND		5.0
1,3-Dichloropropane	ND		10
1,1-Dichloropropene	ND		5.0
1,2-Dibromo-3-Chloropropane	ND		10
Ethylene Dibromide	ND		5.0
Dibromomethane	ND		5.0
Dichlorodifluoromethane	ND		5.0
1,1-Dichloroethane	ND		5.0
1,2-Dichloroethane	ND		5.0
1,1-Dichloroethene	ND		5.0
cis-1,2-Dichloroethene	ND		5.0
trans-1,2-Dichloroethene	ND		5.0
1,2-Dichloropropane	ND		5.0
cis-1,3-Dichloropropene	ND		5.0
trans-1,3-Dichloropropene	ND		5.0
Ethylbenzene	ND		5.0
Hexachlorobutadiene	ND		10
2-Hexanone	ND		500
Isopropylbenzene	ND		5.0
4-Isopropyltoluene	ND		10
Methylene Chloride	ND		50
4-Methyl-2-pentanone (MIBK)	ND		500

Analytical Data

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Client Sample ID: MW-DUP

Lab Sample ID: 720-14318-8

Date Sampled: 05/12/2008 0000

Client Matrix: Water

Date Received: 05/14/2008 0905

8260B Volatile Organic Compounds by GC/MS (Low Level)

Method:	8260B	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Preparation:	5030B			Lab File ID:	c:\saturnws\data\200805\05
Dilution:	10			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1939			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1939				

Analyte	Result (ug/L)	Qualifier	RL
Naphthalene	ND		10
N-Propylbenzene	ND		10
Styrene	ND		5.0
1,1,1,2-Tetrachloroethane	ND		5.0
1,1,2,2-Tetrachloroethane	ND		5.0
Tetrachloroethene	700		5.0
Toluene	ND		5.0
1,2,3-Trichlorobenzene	ND		10
1,2,4-Trichlorobenzene	ND		10
1,1,1-Trichloroethane	ND		5.0
1,1,2-Trichloroethane	ND		5.0
Trichlorofluoromethane	ND		10
1,2,3-Trichloropropane	ND		5.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0
1,2,4-Trimethylbenzene	ND		5.0
1,3,5-Trimethylbenzene	ND		5.0
Vinyl acetate	ND		500
Vinyl chloride	ND		5.0
Xylenes, Total	ND		10
2,2-Dichloropropane	ND		5.0
Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	107		71 - 139
1,2-Dichloroethane-d4 (Surr)	110		62 - 118
Toluene-d8 (Surr)	101		73 - 117

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description
--------------------	------------------	--------------------

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch: 720-35796					
LCS 720-35796/2	Lab Control Spike	T	Water	8260B	
LCSD 720-35796/1	Lab Control Spike Duplicate	T	Water	8260B	
MB 720-35796/3	Method Blank	T	Water	8260B	
720-14318-1	MW-1	T	Water	8260B	
720-14318-1MS	Matrix Spike	T	Water	8260B	
720-14318-1MSD	Matrix Spike Duplicate	T	Water	8260B	
720-14318-2	MW-2	T	Water	8260B	
720-14318-5	MW-5	T	Water	8260B	
720-14318-8	MW-DUP	T	Water	8260B	
Analysis Batch: 720-35908					
LCS 720-35908/2	Lab Control Spike	T	Water	8260B	
LCSD 720-35908/1	Lab Control Spike Duplicate	T	Water	8260B	
MB 720-35908/3	Method Blank	T	Water	8260B	
720-14318-2	MW-2	T	Water	8260B	
720-14318-3	MW-3	T	Water	8260B	
720-14318-4	MW-4	T	Water	8260B	
720-14318-5	MW-5	T	Water	8260B	
720-14318-6	MW-7	T	Water	8260B	
720-14318-6MS	Matrix Spike	T	Water	8260B	
720-14318-6MSD	Matrix Spike Duplicate	T	Water	8260B	
720-14318-7	MW-8	T	Water	8260B	
720-14318-8	MW-DUP	T	Water	8260B	

Report Basis

T = Total

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Method Blank - Batch: 720-35796

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 720-35796/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/20/2008 1109
Date Prepared: 05/20/2008 1109

Analysis Batch: 720-35796
Prep Batch: N/A
Units: ug/L

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\05
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		5.0
Acetone	ND		50
Benzene	ND		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	ND		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	ND		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	ND		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	ND		0.50
cis-1,2-Dichloroethene	ND		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Method Blank - Batch: 720-35796

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 720-35796/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/20/2008 1109
Date Prepared: 05/20/2008 1109

Analysis Batch: 720-35796
Prep Batch: N/A
Units: ug/L

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\05
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	Result	Qual	RL
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0
Methylene Chloride	ND		5.0
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	ND		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	ND		0.50
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		50
Vinyl chloride	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Surrogate	% Rec	Acceptance Limits	
4-Bromofluorobenzene	107	71 - 139	
1,2-Dichloroethane-d4 (Surr)	105	62 - 118	
Toluene-d8 (Surr)	102	73 - 117	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Lab Control Spike/ Lab Control Spike Duplicate Recovery Report - Batch: 720-35796

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 720-35796/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/20/2008 1002
Date Prepared: 05/20/2008 1002

Analysis Batch: 720-35796
Prep Batch: N/A
Units: ug/L

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\0f
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

LCSD Lab Sample ID: LCSD 720-35796/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/20/2008 1036
Date Prepared: 05/20/2008 1036

Analysis Batch: 720-35796
Prep Batch: N/A
Units: ug/L

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\052
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	91	90	69 - 129	1	20		
Chlorobenzene	102	102	61 - 121	0	20		
1,1-Dichloroethene	91	97	65 - 125	6	20		
Toluene	95	94	70 - 130	1	20		
Trichloroethene	90	89	74 - 134	1	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	102		99		71 - 139		
1,2-Dichloroethane-d4 (Surr)	98		104		62 - 118		
Toluene-d8 (Surr)	104		101		73 - 117		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-35796

Method: 8260B
Preparation: 5030B

MS Lab Sample ID: 720-14318-1 Analysis Batch: 720-35796
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 05/20/2008 1610
Date Prepared: 05/20/2008 1610

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

MSD Lab Sample ID: 720-14318-1 Analysis Batch: 720-35796
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0
Date Analyzed: 05/20/2008 1643
Date Prepared: 05/20/2008 1643

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\05\
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	92	94	69 - 129	2	20		
Chlorobenzene	98	103	61 - 121	5	20		
1,1-Dichloroethene	88	90	65 - 125	2	20		
Toluene	93	94	70 - 130	2	20		
Trichloroethene	92	94	74 - 134	2	20		
Surrogate	MS % Rec		MSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	104		101		71 - 139		
1,2-Dichloroethane-d4 (Surr)	107		105		62 - 118		
Toluene-d8 (Surr)	102		100		73 - 117		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Method Blank - Batch: 720-35908

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 720-35908/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/22/2008 1043
Date Prepared: 05/22/2008 1043

Analysis Batch: 720-35908
Prep Batch: N/A
Units: ug/L

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\05
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	Result	Qual	RL
Methyl tert-butyl ether	ND		5.0
Acetone	ND		50
Benzene	ND		0.50
Dichlorobromomethane	ND		0.50
Bromobenzene	ND		1.0
Chlorobromomethane	ND		1.0
Bromoform	ND		1.0
Bromomethane	ND		1.0
2-Butanone (MEK)	ND		50
n-Butylbenzene	ND		1.0
sec-Butylbenzene	ND		1.0
tert-Butylbenzene	ND		1.0
Carbon disulfide	ND		5.0
Carbon tetrachloride	ND		0.50
Chlorobenzene	ND		0.50
Chloroethane	ND		1.0
Chloroform	ND		1.0
Chloromethane	ND		1.0
2-Chlorotoluene	ND		0.50
4-Chlorotoluene	ND		0.50
Chlorodibromomethane	ND		0.50
1,2-Dichlorobenzene	ND		0.50
1,3-Dichlorobenzene	ND		0.50
1,4-Dichlorobenzene	ND		0.50
1,3-Dichloropropane	ND		1.0
1,1-Dichloropropene	ND		0.50
1,2-Dibromo-3-Chloropropane	ND		1.0
Ethylene Dibromide	ND		0.50
Dibromomethane	ND		0.50
Dichlorodifluoromethane	ND		0.50
1,1-Dichloroethane	ND		0.50
1,2-Dichloroethane	ND		0.50
1,1-Dichloroethene	ND		0.50
cis-1,2-Dichloroethene	ND		0.50
trans-1,2-Dichloroethene	ND		0.50
1,2-Dichloropropane	ND		0.50
cis-1,3-Dichloropropene	ND		0.50
trans-1,3-Dichloropropene	ND		0.50
Ethylbenzene	ND		0.50
Hexachlorobutadiene	ND		1.0
2-Hexanone	ND		50

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Method Blank - Batch: 720-35908

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 720-35908/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/22/2008 1043
Date Prepared: 05/22/2008 1043

Analysis Batch: 720-35908
Prep Batch: N/A
Units: ug/L

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\05
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	Result	Qual	RL
Isopropylbenzene	ND		0.50
4-Isopropyltoluene	ND		1.0
Methylene Chloride	ND		5.0
4-Methyl-2-pentanone (MIBK)	ND		50
Naphthalene	ND		1.0
N-Propylbenzene	ND		1.0
Styrene	ND		0.50
1,1,1,2-Tetrachloroethane	ND		0.50
1,1,2,2-Tetrachloroethane	ND		0.50
Tetrachloroethene	ND		0.50
Toluene	ND		0.50
1,2,3-Trichlorobenzene	ND		1.0
1,2,4-Trichlorobenzene	ND		1.0
1,1,1-Trichloroethane	ND		0.50
1,1,2-Trichloroethane	ND		0.50
Trichloroethene	ND		0.50
Trichlorofluoromethane	ND		1.0
1,2,3-Trichloropropane	ND		0.50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.50
1,2,4-Trimethylbenzene	ND		0.50
1,3,5-Trimethylbenzene	ND		0.50
Vinyl acetate	ND		50
Vinyl chloride	ND		0.50
Xylenes, Total	ND		1.0
2,2-Dichloropropane	ND		0.50
Surrogate	% Rec	Acceptance Limits	
4-Bromofluorobenzene	108	71 - 139	
1,2-Dichloroethane-d4 (Surr)	104	62 - 118	
Toluene-d8 (Surr)	103	73 - 117	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Lab Control Spike/ Lab Control Spike Duplicate Recovery Report - Batch: 720-35908

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 720-35908/2 Analysis Batch: 720-35908
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0 Units: ug/L
Date Analyzed: 05/22/2008 0937
Date Prepared: 05/22/2008 0937

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\0f
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

LCSD Lab Sample ID: LCSD 720-35908/1 Analysis Batch: 720-35908
Client Matrix: Water Prep Batch: N/A
Dilution: 1.0 Units: ug/L
Date Analyzed: 05/22/2008 1010
Date Prepared: 05/22/2008 1010

Instrument ID: Varian 3900F
Lab File ID: c:\saturnws\data\200805\052
Initial Weight/Volume: 40 mL
Final Weight/Volume: 40 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	89	93	69 - 129	4	20		
Chlorobenzene	101	97	61 - 121	4	20		
1,1-Dichloroethene	95	94	65 - 125	1	20		
Toluene	94	96	70 - 130	2	20		
Trichloroethene	91	92	74 - 134	2	20		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	96		103		71 - 139		
1,2-Dichloroethane-d4 (Surr)	93		103		62 - 118		
Toluene-d8 (Surr)	92		100		73 - 117		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 720-35908

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	720-14318-6	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	c:\saturnws\data\200805\
Dilution:	5.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1618			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1618				
MSD Lab Sample ID:	720-14318-6	Analysis Batch:	720-35908	Instrument ID:	Varian 3900F
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	c:\saturnws\data\200805\05
Dilution:	5.0			Initial Weight/Volume:	40 mL
Date Analyzed:	05/22/2008 1652			Final Weight/Volume:	40 mL
Date Prepared:	05/22/2008 1652				

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	92	92	69 - 129	1	20		
Chlorobenzene	98	100	61 - 121	2	20		
1,1-Dichloroethene	95	96	65 - 125	2	20		
Toluene	95	95	70 - 130	0	20		
Trichloroethene	89	92	74 - 134	4	20		
Surrogate	MS % Rec		MSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	105		105		71 - 139		
1,2-Dichloroethane-d4 (Surr)	105		105		62 - 118		
Toluene-d8 (Surr)	100		99		73 - 117		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Login Sample Receipt Check List

Client: CGC Environmental, Inc.

Job Number: 720-14318-1

Login Number: 14318

Creator: Mullen, Joan

List Number: 1

List Source: TestAmerica San Francisco

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Appendix C

Historical Groundwater Elevations

Table C-1

Historical Groundwater Elevations
 December 2000 through May 2008
 Former Mission Linen Supply Facility
 11904-11920 E. Washington Boulevard, Santa Fe Springs, California

Well	Casing Elevation ¹ (Feet)	Date	Groundwater Depth (Feet) ²	Groundwater Elevation (Feet msl) ³
MW-1	151.60	12/5/2000	26.56	125.04
		3/15/2001	25.50	126.10
		6/19/2001	24.27	127.33
		9/24/2001	28.06	123.54
		11/20/2001	29.30	122.30
		3/12/2002	26.65	124.95
		5/23/2002	28.17	123.43
		9/4/2002	31.40	120.20
		12/12/2002	32.64	118.96
		2/26/2003	30.91	120.69
		6/5/2003	28.78	122.82
		8/27/2003	32.48	119.12
		12/9/2003	35.86	115.74
		2/24/2004	36.71	114.89
	153.86	6/29/2004	37.35	116.51
		8/12/2004	38.12	115.74
		11/15/2004	Dry	Dry
		3/7/2005	38.48	115.38
		5/23/2005	31.49	122.37
		8/11/2005	29.25	124.61
		12/2/2005	30.62	123.24
		2/9/2006	30.39	123.47
		5/11/2006	28.23	125.63
		8/30/2006	29.04	124.82
		11/9/2006	30.90	122.96
		2/21/2007	30.38	123.48
		5/22/2007	28.58	125.28
		8/28/2007	31.78	122.08
MW-2	151.38	11/12/2007	34.75	119.11
		2/18/2008	35.60	118.26
		5/12/2008	34.38	119.48
	153.72	12/5/2000	26.47	124.91
		3/15/2001	25.40	125.98
		6/19/2001	24.20	127.18
		9/24/2001	27.94	123.44
		11/20/2001	29.35	122.03
		3/12/2002	26.58	124.80
		5/23/2002	28.11	123.27
		9/4/2002	31.40	119.98
		12/12/2002	32.51	118.87
		2/26/2003	30.82	120.56
		6/5/2003	28.71	122.67
		8/27/2003	32.32	119.06
		12/9/2003	35.67	115.71
		2/24/2004	36.56	114.82
		6/29/2004	37.20	116.52
		8/12/2004	37.92	115.80
		11/15/2004	Dry	Dry
		3/7/2005	38.27	115.45
		5/23/2005	31.25	122.47
		8/11/2005	29.18	124.54
		12/2/2005	30.42	123.30
		2/9/2006	30.27	123.45
		5/11/2006	28.14	125.58
		8/30/2006	29.01	124.71
		11/9/2006	30.35	123.37
		2/21/2007	30.16	123.56
		5/22/2007	28.46	125.26
		8/28/2007	31.61	122.11
		11/12/2007	34.44	119.28
		2/18/2008	35.50	118.22
		5/12/2008	34.15	119.57

Table C-1

Historical Groundwater Elevations
 December 2000 through May 2008
 Former Mission Linen Supply Facility
 11904-11920 E. Washington Boulevard, Santa Fe Springs, California

Well	Casing Elevation ¹ (Feet)	Date	Groundwater Depth (Feet) ²	Groundwater Elevation (Feet msl) ³
MW-3	150.11	12/5/2000	25.20	124.91
		3/15/2001	24.09	126.02
		6/19/2001	22.87	127.18
		9/24/2001	26.61	123.50
		11/20/2001	27.96	122.15
		3/12/2002	25.25	124.86
		5/23/2002	26.70	123.41
		9/4/2002	30.00	120.11
		12/12/2002	31.27	118.84
		2/26/2003	29.51	120.60
		6/5/2003	27.43	122.68
		8/27/2003	31.02	119.09
		12/9/2003	34.50	115.61
		2/24/2004	35.31	114.80
	152.42	6/29/2004	36.91	115.51
		8/12/2004	36.51	115.91
		11/15/2004	38.38	114.04
		3/7/2005	37.15	115.27
		5/23/2005	30.31	122.11
		8/11/2005	27.80	124.62
		12/2/2005	29.28	123.14
		2/9/2006	29.08	123.34
		5/18/2006	26.97	125.45
		8/30/2006	27.71	124.71
		11/9/2006	29.56	122.86
		2/21/2007	28.95	123.47
		5/22/2007	27.25	125.17
		8/28/2007	29.85	122.57
MW-4	155.45	11/12/2007	33.16	119.26
		2/18/2008	34.25	118.17
		5/12/2008	32.85	119.57
		6/29/2004	38.79	116.66
		8/12/2004	39.42	116.03
		11/15/2004	41.77	113.68
		3/7/2005	33.60	121.85
		5/23/2005	32.75	122.70
		8/11/2005	30.56	124.89
		12/2/2005	31.91	123.54
		2/9/2006	31.69	123.76
		5/11/2006	29.50	125.95
		8/30/2006	30.33	125.12
		11/9/2006	32.22	123.23
MW-5	154.90	2/21/2007	31.70	123.75
		5/22/2007	29.88	125.57
		8/28/2007	33.10	122.35
		11/12/2007	36.14	119.31
		2/18/2008	37.10	118.35
		5/12/2008	35.74	119.71
		6/29/2004	38.56	116.34
		8/12/2004	39.30	115.60
		11/15/2004	41.54	113.36
		3/7/2005	39.54	115.36
		5/23/2005	32.59	122.31
		8/11/2005	30.38	124.52
		12/2/2005	31.85	123.05
		2/9/2006	31.57	123.33
		5/11/2006	29.38	125.52
		8/30/2006	30.30	124.60
		11/9/2006	32.11	122.79
		2/21/2007	31.55	123.35
		5/22/2007	29.76	125.14
		8/28/2007	33.11	121.79
		11/12/2007	36.41	118.49
		2/18/2008	37.37	117.53
		5/12/2008	35.57	119.33

Table C-1

Historical Groundwater Elevations
December 2000 through May 2008
Former Mission Linen Supply Facility
11904-11920 E. Washington Boulevard, Santa Fe Springs, California

Well	Casing Elevation ¹ (Feet)	Date	Groundwater Depth (Feet) ²	Groundwater Elevation (Feet msl) ³
MW-7	152.54	6/29/2004	36.11	116.43
		8/12/2004	36.70	115.84
		11/15/2004	38.86	113.68
		3/7/2005	37.40	115.14
		5/23/2005	30.62	121.92
		8/11/2005	28.36	124.18
		12/2/2005	29.57	122.97
		2/9/2006	29.38	123.16
		5/11/2006	27.31	125.23
		8/30/2006	28.17	124.37
		11/9/2006	29.82	122.72
		2/21/2007	29.32	123.22
		5/22/2007	27.62	124.92
		8/28/2007	30.90	121.64
		11/12/2007	33.54	119.00
MW-8	151.20	2/18/2008	34.58	117.96
		5/12/2008	33.29	119.25
		6/29/2004	35.20	116.00
		8/12/2004	35.78	115.42
		11/15/2004	37.96	113.24
		3/7/2005	36.33	114.87
		5/23/2005	29.61	121.59
		8/11/2005	27.50	123.70
		12/2/2005	28.70	122.50
		2/9/2006	28.55	122.65
		5/11/2006	26.45	124.75
		8/30/2006	27.12	124.08
		11/9/2006	29.00	122.20
		2/21/2007	28.50	122.70
		5/22/2007	26.77	124.43
		8/28/2007	29.92	121.28
		11/12/2007	32.65	118.55
		2/18/2008	33.64	117.56
		5/12/2008	32.34	118.86

Notes

- 1) Existing wells (except piezometers) re-surveyed at same time as new wells on June 29, 2004
- 2) Groundwater depth reported in feet below top of well casing
- 3) Groundwater elevation reported in feet from mean sea level (msl)

Table based on Rincon July 2004 quarterly report for data prior to 8/12/04

Appendix D

Historical Groundwater Analytical Results

Table D-1

Historical Groundwater Analytical Results

June 1999 through May 2008

Former Mission Linen Supply Facility

11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cis-1,2- DCE)	1,1-Dichloroethene (1,1- DCE)	Carbon Tetrachloride	Chloroform	Chloromethane (Methyl Chloride)	1,2-Dichloroethane (1,2-DCA)	1,1- Dichloroethane (1,1-DCA)
	MCL	5.0	5.0	6.0	6.0	0.5	100.0	5.0	0.5	5.0
MW-1	6/12/1999	110	0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5
	7/9/1999	230	1.2	<0.5	2.9	<0.5	<0.5	<0.5	<0.5	<0.5
	12/5/2000	15.8	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2001	19.5	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	6/19/2001	32.8	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	9/24/2001	52.7	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	11/20/2001	143	1.4	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	3/12/2002	77.6	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	5/23/2002	76.1	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	9/4/2002	67	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	12/12/2002	61.5	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	2/26/2003	125	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	6/5/2003	91.5	1.1	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	8/27/2003	84.5	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	12/9/2003	38.4	1.1	<1.0	1.2	<1.0	<1.0	<3.0	<1.0	<1.0
	2/24/2004	90.1	1.5	<1.0	1.1	<1.0	<1.0	<3.0	<1.0	<1.0
	6/29/2004	106	1.2	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	8/12/2004	210	2.1	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	11/15/2004	dry	dry	dry	dry	dry	dry	dry	dry	dry
	3/7/2005	120	<2.0	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	5/23/2005	370	3.6	<2.0	2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	8/11/2005	120	2.5	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	12/2/2005	190	3.2	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	2/9/2006	66	2.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/11/2006	58	2.3	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	8/30/2006	40	1.4	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	11/9/2006	60	2.2	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	2/21/2007	21	1.7	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/22/2007	7.7	1.1	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	8/28/2007	46	1.4	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	11/12/2007	24	1.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	2/18/2008	24	1.8	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/12/2008	7.6	1.3	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5

Table D-1

Historical Groundwater Analytical Results

June 1999 through May 2008

Former Mission Linen Supply Facility

11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cis-1,2- DCE)	1,1-Dichloroethene (1,1- DCE)	Carbon Tetrachloride	Chloromethane (Methyl Chloride)	1,2-Dichloroethane (1,2-DCA)	1,1- Dichloroethane (1,1-DCA)	
	MCL	5.0	5.0	6.0	6.0	0.5	100.0	5.0	0.5	5.0
MW-2	6/12/1999	19,000	56	<10	30	<10	<10	<10	<10	<10
	7/9/1999	16,000	61	<10	31	<10	<10	<10	<10	<10
	12/5/2000	18,000	<1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2001	16,600	116	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	6/19/2001	7,310	<100	<100	<100	<100	<100	<300	<100	<100
	9/24/2001	18,900	100	<100	<100	<100	<100	<300	<100	<100
	11/20/2001	15,100	<200	<200	<200	<200	<200	<600	<200	<200
	3/12/2002	7,750	<100	<100	<100	<100	<100	<300	<100	<100
	5/23/2002	21,800	<200	<200	<200	<200	<200	<600	<200	<200
	9/4/2002	24,600	100	<100	100	<100	<100	<300	<100	<100
	12/12/2002	5,440	<50	<50	<50	<50	<50	<150	<50	<50
	2/26/2003	8,250	<100	<100	<100	<100	<100	<300	<100	<100
	6/5/2003	13,300	<200	<200	<200	<200	<200	<600	<200	<200
	8/27/2003	12,300	55	<50	<50	<50	<50	<150	<50	<50
	12/9/2003	1,440	<50	<50	50	<50	<50	<150	<50	<50
	2/24/2004	452	11	<10	<10	<10	<10	<30	<10	<10
	6/29/2004	757	<10	<10	25	<10	<10	<30	<10	<10
	8/12/2004	1,300	<10	<10	23	<10	<20	<20	<10	<10
	11/15/2004	dry	dry	dry	dry	dry	dry	dry	dry	dry
	3/7/2005	2,800	<20	<20	<20	<20	<40	<40	<20	<20
	5/23/2005	5,700	<50	<50	<50	<50	<100	<100	<50	<50
	8/11/2005	3,400	<20	<20	<20	<20	<40	<40	<20	<20
	12/2/2005	3,600	<50	<50	<50	<50	<100	<100	<50	<50
	2/9/2006	2,100	<20	<20	<20	<20	<40	<40	<20	<20
	5/12/2006	1,800	<20	<20	<20	<20	<40	<40	<20	<20
	8/30/2006	1,200	<20	<20	<20	<20	<40	<40	<20	<20
	11/9/2006	1,900	<20	<20	<20	<20	<40	<40	<20	<20
	2/21/2007	1,600	<20	<20	<20	<20	<40	<40	<20	<20
	5/22/2007	640	14	<5.0	<5.0	<5.0	<10	<10	<5.0	<5.0
	8/28/2007	640	19	6	<5.0	<5.0	<10	<10	<5.0	<5.0
	11/12/2007	610	9.1	<5.0	9	<5.0	<10	<10	<5.0	<5.0
	2/18/2008	64	4.8	0.51	1.6	<0.5	<1.0	<1.0	<0.5	<0.5
	5/12/2008	140	10	1.3	2.9	<1.0	<2.0	<1.0	<1.0	<1.0

Table D-1

Historical Groundwater Analytical Results

June 1999 through May 2008

Former Mission Linen Supply Facility

11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cis-1,2- DCE)	1,1-Dichloroethene (1,1- DCE)	Carbon Tetrachloride	Chloroform	Chloromethane (Methyl Chloride)	1,2-Dichloroethane (1,2-DCA)	1,1- Dichloroethane (1,1-DCA)
	MCL	5.0	5.0	6.0	6.0	0.5	100.0	5.0	0.5	5.0
MW-3	6/12/1999	11,000	18	<10	<10	<10	<10	<10	<10	<10
	7/9/1999	9,900	15	<5.0	7	<5.0	<5.0	<5.0	<5.0	<5.0
	12/5/2000	1,430	<1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	3/15/2001	2,390	<1	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	6/19/2001	14,800	<100	<100	<100	<100	<100	<300	<100	<100
	9/24/2001	1,840	<10	<10	<10	<10	<10	<30	<10	<10
	11/20/2001	14,500	<200	<200	<200	<200	<200	<600	<200	<200
	3/12/2002	14,700	<100	<100	<100	<100	<100	<300	<100	<100
	5/23/2002	18,800	<200	<200	<200	<200	<200	<600	<200	<200
	9/4/2002	13,700	<100	<100	<100	<100	<100	<300	<100	<100
	12/12/2002	6,560	<100	<100	<100	<100	<100	<300	<100	<100
	2/26/2003	12,400	<100	<100	<100	<100	<100	<300	<100	<100
	6/5/2003	13,600	<200	<200	<200	<200	<200	<600	<200	<200
	8/27/2003	10,700	<50	<50	<50	<50	<50	<150	<50	<50
	12/9/2003	1,170	36	<50	35	<50	<50	<150	<50	<50
	2/24/2004	413	24	28	16	<5.0	<5.0	<15	<5.0	<5.0
	6/29/2004	420	18	53	13	<5.0	<5.0	<15	<5.0	<5.0
	8/12/2004	260	8.6	36	11	<5.0	<10	<10	<5.0	<5.0
	11/15/2004	380	7.4	4.9	4.9	<2.0	<4.0	<4.0	<2.0	<2.0
	3/7/2005	870	<10	<10	<10	<10	<20	<20	<10	<10
	5/23/2005	1,600	15	<10	<10	<10	<20	<20	<10	<10
	8/11/2005	1,100	<10	<10	<10	<10	<20	<20	<10	<10
	12/2/2005	2,300	<20	<20	<20	<20	<40	<40	<20	<20
	2/9/2006	1,600	<10	<10	<10	<10	<20	<20	<10	<10
	5/18/2006	960	<10	<10	<10	<10	<20	<20	<10	<10
	8/30/2006	1,200	<10	<10	<10	<10	<20	<20	<10	<10
	11/9/2006	2,200	<20	<20	<20	<20	<40	<40	<20	<20
	2/21/2007	900	<20	<20	<20	<20	<40	<40	<20	<20
	5/22/2007	760	6.9	5.6	<5.0	<5.0	<10	<10	<5.0	<5.0
	8/28/2007	750	8.7	24	<5.0	<5.0	<10	<10	<5.0	<5.0
	11/12/2007	190	2.5	<1.0	1.4	<1.0	<2.0	<2.0	<1.0	<1.0
	2/18/2008	88	4.4	<1.0	1.6	<1.0	<2.0	<2.0	<1.0	<1.0
	5/12/2008	99	3.7	<1.0	1.4	<1.0	<2.0	<2.0	<1.0	<1.0

Table D-1

Historical Groundwater Analytical Results

June 1999 through May 2008

Former Mission Linen Supply Facility

11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cis-1,2- DCE)	1,1-Dichloroethene (1,1- DCE)	Carbon Tetrachloride	Chloroform	Chloromethane (Methyl Chloride)	1,2-Dichloroethane (1,2-DCA)	1,1- Dichloroethane (1,1-DCA)
	MCL	5.0	5.0	6.0	6.0	0.5	100.0	5.0	0.5	5.0
MW-4	6/29/2004	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0
	8/12/2004	0.67	0.53	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	11/15/2004	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	3/7/2005	2.0	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/23/2005	3.3	0.6	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	8/11/2005	2.5	0.56	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	12/2/2005	0.97	1.6	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	2/9/2006	0.87	1.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/11/2006	1.1	1.2	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	8/30/2006	1.1	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	11/9/2006	1.4	0.7	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	2/21/2007	0.55	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/22/2007	0.64	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	8/28/2007	1.0	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	11/12/2007	0.67	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	2/18/2008	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/12/2008	<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
MW-5	6/29/2004	511	<10	<10	<10	<10	<10	<30	<10	<10
	8/12/2004	260	2.9	<2.5	<2.5	<2.5	<5.0	<5.0	<2.5	<2.5
	11/15/2004	280	5.2	<2.5	4	<2.5	<5.0	<5.0	<2.5	<2.5
	3/7/2005	990	12	2.5	3.5	<2.0	5.8	<4.0	2.7	<2.0
MW-DUP (MW-5)	3/7/2005	980	11	<10	<10	<10	<20	<20	<10	<10
	5/23/2005	180	4.4	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	8/11/2005	97	2.8	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0
MW-DUP (MW-5)	8/11/2005	77	2.6	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	12/2/2005	270	4.8	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	2/9/2006	130	3.6	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0
	5/12/2006	190	3.6	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
MW-DUP (MW-5)	5/12/2006	180	3.8	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	8/30/2006	180	2.8	<2.5	<2.5	<2.5	<5.0	<5.0	<2.5	<2.5
	11/9/2006	110	2.5	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
MW-DUP (MW-5)	11/9/2006	110	2.6	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0
	2/21/2007	260	3.2	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	5/22/2007	66	1.8	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	8/28/2007	200	<2.5	<2.5	<2.5	<2.5	<5.0	<5.0	<2.5	<2.5
MW-DUP (MW-5)	8/28/2007	250	<2.5	<2.5	<2.5	<2.5	<5.0	<5.0	<2.5	<2.5
	11/12/2007	14	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	2/18/2008	21	1.6	<0.5	<0.5	<0.5	<1.0	<1.0	<0.5	<0.5
	5/12/2008	630	3.8	<10	<10	<10	1.6	<20	<10	<10
MW-DUP (MW-5)	5/12/2008	700	4.2	<2.5	<2.5	<2.5	<5.0	<5.0	<2.5	<2.5

Table D-1

Historical Groundwater Analytical Results

June 1999 through May 2008

Former Mission Linen Supply Facility

11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cis-1,2- DCE)	1,1-Dichloroethene (1,1- DCE)	Carbon Tetrachloride	Chloroform	Chloromethane (Methyl Chloride)	1,2-Dichloroethane (1,2-DCA)	1,1- Dichloroethane (1,1-DCA)
MCL		5.0	5.0	6.0	6.0	0.5	100.0	5.0	0.5	5.0
MW-7	6/29/2004	153	1.6	<1.0	2.4	<1.0	<1.0	<3.0	<1.0	<1.0
	8/12/2004	92	1.6	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0
MW-DUP (MW-7)	8/12/2004	98	1.5	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0
	11/15/2004	420	6.1	<5.0	<5.0	<5.0	<10	<10	<5.0	<5.0
	3/7/2005	46	<5.0	<5.0	<5.0	<5.0	<10	<10	<5.0	<5.0
	5/23/2005	190	5.6	<2.0	<2.0	<2.0	<4.0	<4.0	<2.0	<2.0
	8/11/2005	320	5.1	<2.5	2.5	<2.5	<5.0	<5.0	<2.5	<2.5
	12/2/2005	820	<10	<10	<10	<10	<20	<20	<10	<10
MW-DUP (MW-7)	12/2/2005	790	<10	<10	<10	<10	<20	<20	<10	<10
	2/9/2006	520	5.2	<5.0	<5.0	<5.0	<10	<10	<5.0	<5.0
	5/12/2006	1,000	<10	<10	11	<10	<20	<20	<10	<10
	8/30/2006	490	4.3	<2.5	4.4	<2.5	<5.0	<5.0	<2.5	<2.5
MW-DUP (MW-7)	8/30/2006	410	<5.0	<5.0	<5.0	<5.0	<10	<10	<5.0	<5.0
	11/9/2006	520	<10	<10	<10	<10	<20	<20	<10	<10
	2/21/2007	530	<10	<10	<10	<10	<20	<20	<10	<10
	5/22/2007	410	7.6	5.7	6.3	<2.5	<5.0	<5.0	<2.5	<2.5
MW-DUP (MW-7)	5/22/2007	400	7.7	5.7	6.5	<5.0	<10	<10	<5.0	<5.0
	8/28/2007	420	8	4.7	4.9	<2.5	<5.0	<5.0	<2.5	<2.5
	11/12/2007	380	6.3	3.3	5.7	<2.5	<5.0	<5.0	<2.5	<2.5
	2/18/2008	360	6.3	<2.5	6.7	<2.5	<5.0	<5.0	<2.5	<2.5
MW-DUP (MW-7)	2/18/2008	340	6.3	<2.5	6.6	<2.5	<5.0	<5.0	<2.5	<2.5
	5/12/2008	210	4.4	<2.5	5.4	<2.5	<5.0	<5.0	<2.5	<2.5

Table D-1

Historical Groundwater Analytical Results

June 1999 through May 2008

Former Mission Linen Supply Facility

11904-11920 East Washington Boulevard, Santa Fe Springs, California

Sample I.D.	Sample Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cis-1,2- DCE)	1,1-Dichloroethene (1,1- DCE)	Carbon Tetrachloride	Chloroform	Chloromethane (Methyl Chloride)	1,2-Dichloroethane (1,2-DCA)	1,1- Dichloroethane (1,1-DCA)
	MCL	5.0	5.0	6.0	6.0	0.5	100.0	5.0	0.5	5.0
MW-8	6/29/2004	127	26.1	<1.0	11.7	<1.0	<1.0	<3.0	<1.0	<1.0
	8/12/2004	91	37	<1.0	8.6	<1.0	2.3	<2.0	<1.0	<1.0
	11/15/2004	67	7.6	<0.5	4	<0.5	3.7	<0.5	<0.5	<0.5
MW-DUP (MW-8)	11/15/2004	66	7.8	<0.5	5.1	<0.5	3.6	<0.5	<0.5	<0.5
	3/7/2005	300	11	<1.0	8.1	<1.0	2.1	<2.0	<1.0	<1.0
	5/23/2005	53	7.1	<0.5	5.2	<0.5	2.5	<1.0	<0.5	<0.5
MW-DUP (MW-8)	5/23/2005	55	7.3	<0.5	5.5	<0.5	2.5	<1.0	<0.5	<0.5
	8/11/2005	42	6.4	<0.5	5.6	<0.5	1.7	<1.0	<0.5	<0.5
	12/2/2005	75	10	<0.5	6.9	<0.5	1.2	<1.0	<0.5	<0.5
MW-DUP (MW-8)	2/9/2006	150	12	<2.0	10	<2.0	<4.0	<4.0	<2.0	<2.0
	2/9/2006	170	13	<2.0	11	<2.0	<4.0	<4.0	<2.0	<2.0
	5/11/2006	220	11	<2.0	12	<2.0	<4.0	<4.0	<2.0	<2.0
MW-DUP (MW-8)	8/30/2006	130	8	<2.0	5.7	<2.0	<4.0	<4.0	<2.0	<2.0
	11/9/2006	79	11	<0.5	3.4	<0.5	<1.0	<1.0	<0.5	<0.5
	2/21/2007	150	15	<1.0	6.4	<1.0	<1.0	<2.0	<1.0	<1.0
MW-DUP (MW-8)	2/21/2007	140	14	<1.0	6.4	<1.0	<2.0	<2.0	<1.0	<1.0
	5/22/2007	140	10	<0.5	3.8	<0.5	<1.0	<1.0	<0.5	<0.5
	8/28/2007	96	8.2	<0.5	1.4	<0.5	<1.0	<1.0	<0.5	<0.5
MW-DUP (MW-8)	11/12/2007	260	20	<2.5	4.2	<2.5	<5.0	<5.0	<2.5	<2.5
	11/12/2007	300	22	<2.5	5.7	<2.5	<5.0	<5.0	<2.5	<2.5
	2/18/2008	190	19	<2.5	4.0	<2.5	<5.0	<5.0	<2.5	<2.5
	5/12/2008	51	9.1	<0.5	1.9	<0.5	<1.0	<1.0	<0.5	<0.5

Notes:

All concentrations reported in micrograms per Liter (ug/L)

< = not detected at detection limit shown

Only detected analytes are presented, see laboratory reports for complete list of analytes

MCL = EPA Region 9 Maximum Contaminant Level for Drinking water

Table based on Rincon July 2004 quarterly report for data prior to 8/12/04


Appendix E

Time Series Chemical Data

VOC Concentrations in Groundwater - Well MW-1

1999 to Present


Former Mission Linen Supply Facility, Santa Fe Springs, CA



VOC Concentrations in Groundwater - Well MW-2

1999 to Present


Former Mission Linen Supply Facility, Santa Fe Springs, CA



VOC Concentrations in Groundwater - Well MW-3

1999 to Present


Former Mission Linen Supply Facility, Santa Fe Springs, CA



VOC Concentrations in Groundwater - Well MW-4

2004 to Present


Former Mission Linen Supply Facility, Santa Fe Springs, CA



VOC Concentrations in Groundwater - Well MW-5

2004 to Present


Former Mission Linen Supply Facility, Santa Fe Springs, CA



VOC Concentrations in Groundwater - Well MW-7

2004 to Present

Former Mission Linen Supply Facility, Santa Fe Springs, CA



VOC Concentrations in Groundwater - Well MW-8

2004 to Present

Former Mission Linen Supply Facility, Santa Fe Springs, CA

